FMBusiness**Daily**

Problems with power supply cause most EV charger maintenance callouts

1 year ago



Techniche today announced the results of a study into why EV chargers break down, revealing that 30% of all charger breakdowns require an engineer visit to fix them.

Problems with the power supply were the primary reason, responsible for 24% of engineer callouts. Payment terminals (20%), slow charging or charging failures (20%) and hardware failures (18%), each generated the next highest number of callouts, while communications failures caused 13% of engineer visits.

The analysis also revealed that 70% of EV charger breakdowns can be solved remotely, using automation to reset a charger's internal software.

Techniche analysed data from 5,000 EV chargers across its European customer sites in the UK, Ireland, Netherlands, Germany and Spain over the last year. Chargers were mostly 150-175kWh fast chargers less than five years old, located in public charging locations, mainly at forecourts, retail parks and supermarkets.

Top reasons for engineer callouts:

1. Pow	er supply	24%
--------	-----------	-----

- 2. Payment terminals 20%
- 2. Charging speed/failures 20%
- 4. Hardware failures 18%



5. Communication problems 13%

6. Other 5%

David Cornish, Head of Product at <u>Techniche</u>, said: "Analysis of our data shows that 70% of EV charger breakdowns can be solved remotely but the remaining 30% require an on-site engineer to get them upand-running again. It's this 30% which causes the biggest headache for operators, resulting in slow repairs, unwanted downtime and a bad experience for drivers. Better confidence in the charging process can be gained by automating resets and the maintenance process to make faulty chargers available for drivers as quickly as possible."



"The findings indicate there is much work to be done on improving the grid infrastructure with power issues being the single largest reason for callouts. This could be further compounded during the roll-out of chargers to more remote or rural locations, or the installation of power-hungry rapid chargers in urban areas, which present a challenge for power delivery."

Glitches with payment terminals were only responsible for 20% of callouts but not all rapid chargers today have contactless payment terminals. Cornish continued: "This figure could increase in the UK in coming months, with the government mandating that contactless payments be made available on all new rapid chargers, in addition to existing rapid chargers already installed, by November 2024."

Reasons for callouts in more detail:

Power supply problems – 24%

1. These include power failures, low voltage and other errors related to grid, substation or batterybacked storage facilities

Payment terminals - 20%

• These include card payment terminals and card readers not working, being tampered with, showing



a blank screen or suffering an RFID failure

Charging speed/failure - 20%

• This category relates to the charging process itself, including continued problems with charging speeds, not charging or interrupted charging

Hardware failures - 18%

• These include any charging terminal hardware failures, which could be a damaged housing, plug, cable or touch display

Communications problems - 13%

• These include chargers which are simply failing to respond and go offline. Reasons include SIM card failures or issues with wireless or wired networks

Techniche EV software helps charge point operators achieve high levels of uptime by automating maintenance and monitoring processes, ensuring chargers are working and delivering an exceptional customer experience. The software triages issues and faults and automates the creation of work orders, notifications and alerts based on error codes. Charging session analytics are used to identify patterns and trends that help reveal any issues, leading to earlier intervention and proactive maintenance.