

Veolia uses enzymes in world-first trial to remove carbon dioxide with enhanced rock weathering

2 years ago



<u>Veolia</u>, a UK resource management company, has partnered with UK biotechnology startup, FabricNano, to apply enzymes to rocks to trial faster, permanent carbon dioxide removal directly from the atmosphere.

This decarbonisation innovation is part of a wider strategy from Veolia Group to "GreenUp" across the globe. Already a leading player in the research and development of environmental solutions, with 14 research centres worldwide, the Group announced that it would significantly accelerate its investments in innovation with an additional €200 million to design the technologies of the future.

Enhanced rock weathering (ERW) is a process that helps to address climate change by removing carbon dioxide from the atmosphere and permanently storing it in rocks. Veolia's new ERW service utilises large particle basalt rock fines sourced from local mining operations. Once spread on land, these rocks react with the carbon dioxide from rainwater to permanently store carbon dioxide. One tonne of basalt rock fines can remove up to 300 kg of carbon dioxide, however this process can take more than 30 years.

FabricNano's patented technology immobilizes the Carbonic Anhydrase enzyme directly onto large particle basalt, accelerating carbon sequestration timelines from decades to just a couple of years. With net zero targets fast approaching, this innovation could make a huge difference to global decarbonisation efforts in the next decade.

This year, Veolia will be spreading 30,000 tonnes of basalt rock across farmland throughout the UK as it begins its ERW decarbonisation operations. This landmark trial with FabricNano will see protein powder,



containing the Carbonic Anhydrase enzyme, combined with silicate rock being spread on a stretch of farmland near Bicester, UK and run by Oxford Agricultural Trials (OATs). The trial uses locally sourced, larger rock particles that are a plentiful resource of nearby mining operations. Applying enzymes to speed up the natural rock weathering processes, this trial will incur less than 100 miles of rock transport to the farmland and consume no energy to grind up rocks. The aim is to prove the methodology for an efficient, scalable method to capture huge volumes of atmospheric carbon dioxide

With 17 million hectares of utilised agricultural area and over 2 billion tonnes of basalt rock reserves in Great Britain, ERW presents real potential to help countries decarbonise, if it can be scaled up with economic viability. According to research by the University of Sheffield, ERW could deliver 6 to 40 million tonnes of carbon dioxide removal a year in the UK. ²

Marine Avisse, Head of Corporate Development of Veolia UK said: "Wide scale adoption of viable, permanent and effective decarbonisation solutions is essential if we are to achieve net zero targets but we need to deploy these faster.

This innovation, combining world leading biotechnology and established carbon removal practices, represents a huge step forward in ecological solutions. Not only will this trial see enzymes accelerate the rate of enhanced weathering, it will also provide us with the data we need to replicate this across more applications so industries can tangibly meet their fast-approaching decarbonisation goals."

Grant Aarons, CEO and founder of FabricNano said: "Enhanced rock weathering with enzymes is a globally viable option for reaching net zero by 2050. Learning from nature, we repurpose the enzyme Carbonic Anhydrase, which naturally acts to lock carbon within the ground and which is found in plentiful supply in agricultural soils around the world. FabricNano applies an extra layer of this enzyme to the top-dressing of cropland where it helps to drive even more storage of carbon by weathering basalt rock fines.

The holy grail of rock weathering is utilising large particle rock (>0.5mm) that's applied to the top-dressing of cropland. We believe that biology, namely the immobilized enzyme Carbonic Anhydrase, has a role to play in enabling this breakthrough process which would allow instant global scalability of rock weathering for carbon sequestration."

- 1. https://www.ons.gov.uk/economy/environmentalaccounts/articles/netzeroandthedifferentofficialmeasuresoftheuksgreenhousegasemissions/2019-07-24
- 2. Kantzas, E.P., Val Martin, M., Lomas, M.R. et al. Substantial carbon drawdown potential from enhanced rock weathering in the United Kingdom. Nat. Geosci. 15, 382–389 (2022). https://doi.org/10.1038/s41561-022-00925-2